LEDVANCE



UVC T8 G13

ULTRAVIOLET LAMP



UVC T8 LAMP

Portfolio

- 15 W
- 30 W
- 36 W
- 25 W
- 55 W
- 75 W
- 436 mm
- 893 mm
- 1198 mm
- 254nm



USP

- 10800 L70
- Ozon free
- CCG ECG
- G13

ULTRAVIOLET LAMP



UVC T8 LAMP

Ozon free

Ozon free
due to special tube coating

10800 L70

10 800hrs 20% higher lifespan compared to competition



G13

Standard G13 socket

~5% higher radiated power compared to competition

CCG ECG


Works with standard CCG and ECG

Own design under LEDVANCE brand

ULTRAVIOLET LAMP



UVC T8 LAMP - Safety



Safety (Warning) icons:

UV-C - Info about UVC energy

RG3 – Info about photobilogical class

Hg – Info about mercury content

Not for general ligting




skin, mucous membranes and eyes. To avoid damage to health (injuries, burns, illness), direct or reflected radiation of this lamp into the skin and eyes of the user must be
ıstrahlung ist GEFÄHRLICH für Haut, Schleimhäute und Augen. Um Gesundheitsschäden (Verletzungen, Verbrennungen, Krankheiten) zu vermeiden, muss eine direkte oder
duit contient du mercure. Source UV. Non destiné à l'éclairage général. Le rayonnement de la lampe est DANGEREUX pour la peau, les muqueuses et les yeux. Pour éviter
ux de l'utilisateur doit être exclu. (E) PRECAUCIONES DE SEGURIDAD: El producto contiene mercurio. Fuente UV No destinado a la iluminación general. La radiación de
, enfermedades), debe excluirse la radiación directa o reflejada de esta lámpara en la piel y los ojos del usuario. (I) ATTENZIONE: il prodotto contiene mercurio. Fonte UV.
er evitare danni alla salute (lesioni, ustioni, malattie), è necessario escludere la radiazione diretta o riflessa di questa lampada nella pelle e negli occhi dell'utente (GR).
είναι ΕΠΙΚΙΝΔΥΗ στο δέρμα, στους βλεννογόνους και στα μάτια. Για την αποφυγή βλάβης στην υγεία (τραυματισμοί, εγκαύματα, ασθένεια), πρέπει να αποκλειστεί η άμεση ή
JV-forrás. Nem általános világításhoz szánják. A lámpa sugárzása VESZÉLYES a bőrre, a nyálkahártyára és a szemre. Az egészségkárosodás (sérülések, égési sérülések,
e. (PL) UWAGA: Produkt zawiera rtęć. Źródło promieniowania UV. Nieprzeznaczone do oświetlenia ogólnego. Promieniowanie lampy jest NIEBEZPIECZNE dla skóry, błon
promieniowanie tej lampy do wnętrza skóry i oczu użytkownika. (TR) UYARI: Ürün cıva içermektedir. UV kaynağı. Genel aydınlatma için tasarlanmamıştır. Lamba radyasyonu
kullanıcının gözlerine doğrudan veya yansıyan radyasyonu hariç tutulmalıdır. (BG) ВНИМАНИЕ: Продуктът съдържа живак. UV източник. Не е предназначен за общо
ранявания, изгаряния, болести), трябва да се изключат директните или отразени лъчения на тази лампа върху кожата и очите на потребителя. (HR) UPOZORENJE:
se izbjeglo oštećenje zdravlja (ozljede, opekotine, bolesti), mora se isključiti izravno ili reflektirano zračenje ove lampe u kožu i oči korisnika. (RO) AVERTIZARE: Produsul
Pentru a evita deteriorarea sănătății (răni, arsuri, boli), trebuie exclusă radiația directă sau reflectată a acestei lămpi pe pielea și ochii utilizatorului.

Warnings translated into several languages

ULTRAVIOLET LAMP



UVC T8 LAMP – LEDVANCE branded



ULTRAVIOLET LAMP



UVC T8 LAMP – Technical spec

Description	EAN	Power	Voltage	Dimension	UVC output	Radiated power 200…280 nm (UVC)	Socket	Lifespan	Socket	Approbation
UVC T8 15W G13	4058075502604	15W	55V	Φ 26 x 436 mm	0,53 W/m2 @1000mm	5,1 W	G13	10,800 hrs	G13	CE, EAC
UVC T8 25W G13	4058075502628	25W	46V	Φ 26 x 436 mm	0,75 W/m2 @1000mm	8,2 W	G13	10,800 hrs	G13	CE, EAC
UVC T8 30W G13	4058075502642	30W	96V	Φ 26 x 898 mm	0,31 W/m2 @2000mm	12,6 W	G13	10,800 hrs	G13	CE, EAC
UVC T8 55W G13	4058075502666	55W	83V	Φ 26 x 898 mm	0,44 W/m2 @ 2000mm	15,7 W	G13	10,800 hrs	G13	CE, EAC
UVC T8 36W G13	4058075502680	36W	103V	Φ 26 x 1198 mm	0,17 W/m2 @3000mm	18,9 W	G13	10,800 hrs	G13	CE, EAC
UVC T8 75W G13	4058075502703	75W	110V	Φ 26 x 1198 mm	0,27 W/m2 @3000mm	26,7 W	G13	10,800 hrs	G13	CE, EAC

LEDVANCE



LINEAR HOUSING 1xTUBE UVC SENSOR

LINEAR HOUSING 1x TUBE UVC SENSOR



LINEAR HOUSING 1x TUBE UVC SENSOR

PIR

IR sensor – safety Kit
- 30s delay starting
- Swith off luminaire once detecting people

Integrated long life ECG ballast - match to LEDVANCE UVC T8

ECG



150 sqm

Coverage area up to 150 sqm (depens on height installation)


Anti UV coating:
- Lamp holder
- Screws
- Plastic parts

UVC resist.

LINEAR HOUSING 1x TUBE UVC SENSOR



LINEAR HOUSING 1x TUBE UVC SENSOR



Batten is not designed for general lighitng applications

LINEAR HOUSING 1x TUBE UVC SENSOR



LINEAR HOUSING 1x TUBE UVC SENSOR

Model	EAN	Power	Voltage	Dimension	Delay start	Lifespan	Warranty	Approbation	Features
LINEAR HOUISNG 440 1xTUBE UVC SENSOR	4058075522084	15W	220-240V 50/60Hz	620 x 54 x 76,4 mm	30s	30000h	3y	CE	PIR
LINEAR HOUISNG 900 1xTUBE UVC SENSOR	4058075522060	30W	220-240V 50/60Hz	1061,4 x 54 x 76,4 mm	30s	30000h	3y	CE	PIR



LEDVANCE



ULTRAVIOLET AIR SANITIZER

ULTRAVIOLET AIR SANITIZER



ULTRAVIOLET AIR SANITIZER

Ozon free


Ozon free due to special tube coating

30min 60min

Timer: 30min & 60min

27s delay

27 seconds delay start



Microwave sensor

Sensor

Kill viruses and bacterias

Kill virus

Up to 30 sqm

<30 m2


ULTRAVIOLET AIR SANITIZER



ULTRAVIOLET AIR SANITIZER

Additional icons





ULTRAVIOLET AIR SANITIZER



ULTRAVIOLET AIR SANITIZER

Model	ULTRAVIOLET AIR SANITIZER 32W
EAN	4058075521360
Power	32W
Voltage	220-240V 50/60Hz
Dimension	120 x 120 x 246 mm
Delay start	27s
Warning signal	12s
UV radiation 253,7nm	0,53W/m2
Lifespan	5000h
Warranty	2y
Approbation	CE
Disinfection area	< 30m2

